

## Amylase thermo

1,4- $\alpha$ -D-Glucan glucanohydrolase EC 3.2.1.1

Description:	Thermostable bacterial amylase for the cleavage of $\alpha$ -1,4-linkages in starch.
Origin:	Bacillus licheniformis
Application:	baker's trade, brewery, saccharification of starch, treatment of textiles
Activity:	<ul> <li>&gt; 40 000 U/ml (without Calcium)</li> <li>&gt; 33 000 U/ml (with Calcium, 100 ppm)</li> <li>(methods: ASA Spezialenzyme GmbH)</li> </ul>
Parameters of reaction:	pHoptimum $5.5 - 6.5$ , active within $5.0 - 8.0$ temperatureoptimum $85 - 90^{\circ}$ C, active within $60 - 105^{\circ}$ C
	The addition of calcium (Ca(OH) <sub>2</sub> , CaCl <sub>2</sub> ) stabilizes the enzyme at temperatures higher 60°C. Concentration of calcium about $50 - 100$ ppm are recommended.
Order-No.:	temperatures higher 60°C. Concentration of calcium about 50 – 100
Order-No.: Form of delivery:	temperatures higher 60°C. Concentration of calcium about 50 – 100 ppm are recommended.

phone: +49 (0)5331 8825-30 fax: +49 (0)5331 8825-32